



Axis Components

construct axis generators for given scales


d3.axisTop()




d3.axisBottom()



d3.axisLeft()




3.axisRight()




Axes

d3.axisBottom()



Axes


d3.axisBottom()



scale

```
var xScale = d3.scaleLinear()  
    .domain([1,10])  
    .range([0,200]);
```

Axes




axis generator

```
var xAxis = d3.axisBottom()  
.scale(xScale);
```

or `var xAxis = d3.axisBottom(xScale);`

Axes



When called on a selection, the axis generator creates axis SVG elements

```
d3.select("svg").append("g")
  .call(xAxis);
```

think:

```
xAxis(d3.select("svg").append("g"));
```

Generated SVG axis elements

```
<g fill="none" font-size="10" font-family="sans-serif" text-anchor="middle">

  <path class="domain" stroke="#000" d="M0.5,6V0.5H200.5V6"></path>

  <g class="tick" opacity="1" transform="translate(0.5,0)">
    <line stroke="#000" y2="6"></line>
    <text fill="#000" y="9" dy="0.71em">1</text>
  </g>


  <g class="tick" opacity="1" transform="translate(22.72222222222222,0)">
    <line stroke="#000" y2="6"></line>
    <text fill="#000" y="9" dy="0.71em">2</text>
  </g>

  (8 more tick mark / tick label groups)


</g>
```

Generated SVG axis elements

axis component

d3.axisBottom(scale) --> xAxis 

axis generator

xAxis([*selection*]) --> SVG elements
call on a selection 

Possible, but not advisable:

```
d3.axisBottom(d3.scaleLinear()  
.domain([1,10])  
.range([0,200]))(d3.select("svg")  
.append("g"));
```

Axis Components

control orientation not location on the svg
all axes are rendered at the origin

d3.axisLeft()
d3.axisRight()



Translate axes to position them

```
var yAxis = d3.axisLeft()  
    .scale(yScale);
```

```
svg.append("g")
  .attr("class", "yAxis")
  .attr("transform",
    `translate(${margin.left},
              ${margin.top})`)
  .call(yAxis);
```